Out R No. 3374571 Gross 28,050 All GT Duadweight 38,056 Duadweight Duadweight <thduadweight< th=""> <thduadweight< th=""> <thdua< th=""><th>SHIP DET</th><th>FAIL</th><th></th><th></th><th></th><th></th><th></th><th></th></thdua<></thduadweight<></thduadweight<>	SHIP DET	FAIL						
Out R No. 3374571 Gross 28,050 All GT Duadweight 38,056 Duadweight Duadweight <thduadweight< th=""> <thduadweight< th=""> <thdua< th=""><th>Ship Name</th><th>X-PRESS KHYBER</th><th>Shiptype</th><th>Container Ship</th><th>(Fully Cellular)</th><th></th><th></th><th></th></thdua<></thduadweight<></thduadweight<>	Ship Name	X-PRESS KHYBER	Shiptype	Container Ship	(Fully Cellular)			
11 Sign AbL 67 Sign Able 7 Year of bland 2007 0.000/00 Sign 2729 Year of bland 2007 15 No Able 7 Year of bland 2007 10.5 vor/decommission Image: 10.5 vor/decommission Able 2007 Sign 2000 Able 2007 Sign 2000 Able 2007 Sign 2000 Norders 2007 Sign 2000 Norders 2007 Sign 2000 Norder 2007 Sign 2007								
NSI No. SS 0018729 Year of Build 2007 g Liberia Status In Service/Commission waraor X-Press Feeders Status In Service/Commission wENSIONS 215.220 Lengin (BP) 205.280 righ Overall 215.220 Buibous Bow Yes addit Extreme 0.000 Buibous Bow Yes addit Extreme 0.000 Breadth Houldid 23.200 addit Extreme 0.000 Breadth Houldid 23.000 addit Extreme 0.000 Breadth Houldid 23.000 addit Extreme 207.06 Streme Streme mage Type One tonage, unspecified Tormage System New System (International 1969) assa Tormage (0T) 24,598 Light Displacement Tormage (CDT) 11,4099 ommale Deadveight 24,598 Light Displacement Tormage (CDT) 11,4099 out 2,702 TEU 14t 2,070 Insulated 0 Gas 0 PACITIES gregatet Ballast 11,300; TEU; 2,702								
Overall of Versis Feeders Shipbuilder Nordseewerke WENSIONS 125,290 Length (BP) 205,280 high Overall of Versit 215,290 Bulbous Bow Yes high Overall betreene 0,000 Bubbuilde Woulded 293,280 high Extreme 0,000 Bubbuilde Woulded 293,900 high Extreme 0,000 Bubbuilde Woulded 293,900 high Extreme 49131 T/CM 57,2 NNAGES 2007-06 Effective Date 2007-06 high Typ One tonnage, unspecified Tornage System New System (international 1969) maige Typ One tonnage, unspecified Tornage (NT) 14,099 awdreight (WT) 38,096 Compensated Gross Tornage (CDT) 11,035 RGO OVERVIEW Ign 0 Light Displacement Tornage (LDT) 11,035 RGO HANDLING GEAR Ign 0 Light Displacement Tornage (LDT) 11,035 RGO HANDLING GEAR Ign 0 Light Displacement Tornage (LDT) 11,035 MPARTMENTS Insulated 0 Ign 0 <th>MMSI No.</th> <th>636018729</th> <th>0</th> <th></th> <th></th> <th></th> <th></th> <th></th>	MMSI No.	636018729	0					
Arress Foeders Shipbuilder Nordssewerke HENSIONS 215.280 Longh (BP) 205.280 righ (Pg) 0.000 Bubouls Bow Yes uadh Extreme 0.000 Bubouls Bow Yes uadh Extreme 0.000 Bubouls Bow Yes uadh Extreme 0.000 Breadth Mouded 28.280 name Type One tonnage, unspecified Tornage System New System (international 1969) mange Type One tonnage, unspecified Tornage (NT) 14.099 advelph (UVT) 28.050 Net Tornage (NT) 14.099 mula Deadweight 44.558 Light Deplacement Tornage (LDT) 11.035 RGO OVERVIEW and and D Bale 0 Light Deplacement Tornage (LDT) 11.035 RGO HANDLING GEAR arless MPACTIES NMAGE	Flag			In Service/Com				
HENSIONS 215.290 Langth (BP) 205.280 Yes high Overall (right (Reg)) 0.000 Bubbus Bow Yes 23.900 adath Externe 0.000 Breadth Moulded 23.900 16.500 adath Externe 0.000 Breadth Moulded 23.900 16.500 adath Externe 49131 T/CM 57.2 NNAGES Enternative Date 2007-06 2007-06 sast Fonnage (GT) 28.050 Net Tomnage System 14.099 adarwdght (DVT) 39.090 Compensated Gross Tonnage (CGT) 0 14.099 adarwdght (DVT) 39.090 Compensated Gross Tonnage (CGT) 0 Gas 0 unal Deadweight 4.550 Light Displacement Tomage (DT) 11.035 11.099 sast Fonnage (GT) 39.090 Compensated Gross Tonnage (CGT) 0 Gas 0 unal Deadweight (DVT) 39.090 Tot1.32.070 Insulated 0 Gas 0 PACITIES Tot1.42.070 C Ho 1106 TEU C Dk 1596 TEU incl 442 ref C RGO HANDLING GEAR	Operator	5						
ngh (Overall or generation of the second								
ngh (Reg) 0.000 Bulbous Bow Yes adah Extreme 0.000 Breadth Moulded 23.000 adah Extreme 0.000 Depth 16.500 ato Mast Height 52.760 Depth 57.2 NNAGES NNAGES Now System (International 1969) 57.2 NNAGES Effective Date 2007-06 2007-06 adveight (QVT) 38.095 Compensated Gross Tonnage (CGT) 0 Gas 0 adveight (QVT) 38.095 Compensated Gross Tonnage (CGT) 11,035 P P rego OVERVIEW TEU 14t 2,070 Insulated 0 Gas 0 progenet Ballast 11,300; TEU: 2,702 TEU @ 14:2,070 CHo 1106 TEU C Dk 1596 TEU incl 442 ref C Insulated 0 Gas 0 refers FEG (LIANES, RAMPS & DOCRS) F F F F F wright MARTMENTS F F F F F F adveight (DVT) 38.095 F F F F F <td>DIMENSION</td> <td>S</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	DIMENSION	S						
addth Externe 0.000 Breadth Moulded 29.800 unght 11.550 Depth 16.500 eib Mast Height 19.500 Depth 16.500 placement 49131 T/CM 57.2	_ength Overall	I	215	5.290	Length (BP)		205.280	
hught 11.550 Deph 16.500 et lo Mast Height 52.750 1/CM 57.2 NNAGES NAGES 57.2 NNAGES 2007-06 57.2 NNAGES 2007-06 10.000 2007-07 2007-06 2007-06 2007-07 2007-06 2007-06 2007-08 2007-06 2007-06 2007-09 Net Tonnage (CGT) 0 2007-09 Net Tonnage (CGT) 14.099 adweight (DWT) 38.096 Compensated Gross Tonnage (CGT) 0 CGO OVERVIEW U 2,702 TEU 14t 2,070 11,035	5		0.0	000 Bulbous Bow		Yes		
alio Mast Height 52.750 placement 49131 T/CM 57.2 NNAGES 5007-06 Effective Date 2007-06	Breadth Extreme 0		0.0	D00 Breadth Moulded		29.800		
placement 49131 T/CM 57.2 NNAGES nage Type One tennage, unspecified Tonnage System New System (International 1969) pace Type 2007-06 Effective Date 2007-06 ses Tonnage (GT) 28,050 Net Tonnage (NT) 14,099 adweight (DWT) 34,096 Compensated Gross Tonnage (CGT) 0 mula Deadweight 44,558 Light Displacement Tonnage (CGT) 0 Gas 0 PACITIES TEU 14t 2,070 Insulated 0 Gas 0 PACITIES gregated Ballast 11,300; TEU: 2,702 TEU @14:2,070 C Ho 1106 TEU C Dk 1596 TEU incl 442 ref C Insulated 0 Gas 0 PACITIES mARCO HANDLING GEAR Insulated Insulated 0 Gas 0 PACITIES TCHES International 1969) International 1969) International 1969) International 1969) PACITIES International Component	Draught 1		11.	I		16.500		
NNAGES nnage Type One tonnage, unspecified Effective Date 2007-06 Ef		leight						
nage Type One tonnage, unspecified Tonnage System New System (international 1969) active Date 2007-06 Effective Date 2007-06 sss Tonnage (GT) 28,050 Net Tonnage (UT) 14,099 adweight (UWT) 38,096 Compensated Gross Tonnage (LDT) 0 rnula Deadweight 44,555 Light Displacement Tonnage (LDT) 11,035 RGO OVERVIEW 0 Gas 0 ain 0 Bale 0 Liquid 0 Gas 0 PACITIES gregated Ballast 11,300; TEU: 2,702 TEU @14:2,070 C Ho 1106 TEU C Dk 1596 TEU incl 442 ref C RGO HANDLING GEAR arless PAC (LANES, RAMPS & DOORS) WAGE	Displacement		491	131	T/CM		57.2	
active Date 2007-06 Effective Date 2007-06 Sas Tonnage (GT) 28,050 Net Tonnage (NT) 14,099 mula Deadweight 44,558 Compensated Gross Tonnage (LGT) 0 mula Deadweight 44,558 Light Displacement Tonnage (LGT) 0 Gas 0 greg adweight 44,558 Light Displacement Tonnage (LGT) 11,035 0 Gas 0 PACITIES TEU 141 2,070 Insulated 0 Gas 0 PACITIES greg ated Ballast 11,300; TEU: 2,702 TEU @14:2,070 C Ho 1106 TEU C Dk 1596 TEU incl 442 ref C RGO HANDLING GEAR	TONNAGES	;						
bass Tonnage (GT) 28,050 Net Tonnage (NT) 14,099 adweight (DWT) 38,096 Compensated Gross Tonnage (CGT) 0 imula Deadweight 44,558 Light Displacement Tonnage (CGT) 0 IRGO OVERVIEW Isuated 0 Gas 0 ain 0 Bale 0 Liquid 0 Gas 0 IPACITIES TEU 14t 2,070 Insulated 0 Gas 0 IRGO HANDLING GEAR TEU 2,702 TEU @14:2,070 C Ho 1106 TEU C Dk 1596 TEU incl 442 ref C Incl 142 ref C	Fonnage Type	-	e, unspecified				nternational 19	69)
adweight (DVT) 38,096 Compensated Gross Tonnage (CGT) 0 mula Deadweight 44,558 Light Displacement Tonnage (LDT) 11,035 IRGO OVERVIEW ain 0 Bale 0 Liquid 0 Gas 0 PACITIES TEU 14t 2,070 Insulated 0 Gas 0 IRGO HANDLING GEAR Insulated 0 V	Effective Date				-1			
mula Deadweight 44,558 Light Displacement Tonnage (LDT) 11,035 IRGO OVERVIEW ain 0 Bale 0 Liquid 0 Gas 0 Insulated 0 TEU 14t 2,070 Insulated 0 Gas 0 PACITIES	-			- ·				
Image: Argon overview 0 Bale 0 Liquid 0 Gas 0 Image: PACIFIES TEU 14t 2,070 Insulated 0 Gas 0 Image: PACIFIES Image: Pacified State Image: Pacified State <td< td=""><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>								
ain 0 Bale 0 Liquid 0 Gas 0 u 2,702 TEU 14t 2,070 Insulated 0 0 Gas 0 u 2,702 TEU 14t 2,070 Insulated 0 0 Gas 0 u PACITIES gregated Ballast 11,300; TEU: 2,702 TEU @14:2,070 C Ho 1106 TEU C Dk 1596 TEU incl 442 ref C	ornula Deau	weight 44,330		Light Displaceme	ant ronnage (LDT)	11,055		
U 2,702 TEU 141 2,070 Insulated 0 PACITIES gregated Ballast 11,300; TEU: 2,702 TEU @14:2,070 C Ho 1106 TEU C Dk 1596 TEU incl 442 ref C RGO HANDLING GEAR arless MPARTMENTS TCHES PRO (LANES, RAMPS & DOORS) ECIALIST MAGE	ARGO OVI	ERVIEW						
PACITIES gregated Ballast 11,300; TEU: 2,702 TEU @14:2,070 C Ho 1106 TEU C Dk 1596 TEU incl 442 ref C RGO HANDLING GEAR arless MPARTMENTS TCHES PRO (LANES, RAMPS & DOORS) ECIALIST NKS WAGE CHINERY OVERVIEW	Grain	0	Bale	0	Liquid	() Gas	0
gregated Ballast 11,300; TEU: 2,702 TEU @14:2,070 C Ho 1106 TEU C Dk 1596 TEU incl 442 ref C RGO HANDLING GEAR arless IMPARTMENTS TCHES P-RO (LANES, RAMPS & DOORS) ECIALIST NKS WAGE CHINERY OVERVIEW	ΓEU	2,702	TEU 14t	2,070	Insulated	()	
IRGO HANDLING GEAR VARIANS VAR			2,702 TEU @14	2.070 C Ho 1106	TEU C Dk 1596 TEU	incl 442 ref C		
AARTMENTS AMPARTMENTS ATCHES ACHINERY OVERVIEW			2,702 120 011	.2,010 0 110 1100				
MPARTMENTS TCHES TCHES CONTROL (LANES, RAMPS & DOORS) ECIALIST NKS WAGE ACHINERY OVERVIEW		NDLING GEAR						
TCHES P-RO (LANES, RAMPS & DOORS) ECIALIST NKS WAGE ACHINERY OVERVIEW	Gearless							
D-RO (LANES, RAMPS & DOORS) ECIALIST NKS WAGE ACHINERY OVERVIEW	COMPARTN	IENTS						
ECIALIST NKS WAGE ACHINERY OVERVIEW	HATCHES							
ECIALIST NKS WAGE ACHINERY OVERVIEW								
NKS WAGE ACHINERY OVERVIEW	RO-RO (LAN	NES, RAMPS & DOO	RS)					
NKS WAGE ACHINERY OVERVIEW								
WAGE ACHINERY OVERVIEW	SPECIALIST	Γ						
WAGE ACHINERY OVERVIEW	ANKS							
CHINERY OVERVIEW								
	OWAGE							
		YOVERVIEW						
il engine driving 1 FP propeller at 108 rpm Total Power: Mcr 21,770kW (29,598hp), Csr 18,504kW (25,158hp)Service Speed	l oil engine d	driving 1 FP propeller	at 108 rpm Tota	I Power: Mcr 21,7	770kW (29,598hp), Cs	r 18,504kW (25,7	58hp)Service	Speed
75kts Speed & Consumption: 21.70 knots on 88.00 tonnes per day							- /	

AUXILIARY ENGINES

Design: Mak, **Engine Builder:** Mak **3 x 6M25**, 4 Stroke 6Cy. 255 x 400, Mcr: 1800 kW

AUXILIARY GENERATORS

Aux Generator: 3 x 1,720kW 450V 60Hz a.c.

BOILERS

BUNKERS

Fuel:Capacity - Distillate Fuel: 255 cu m, Residual Fuel: 2,726 cu m					
Speed (kn)	At Consumption (t)				
21.70	88.00				

PRIME MOVER DETAIL

Design: MAN-B&W, **Engine Builder:** Hitachi Zosen Corp - Japan **1 x 7L70MC-C**, 2 Stroke, Single Acting, In-Line (Vertical) 7 Cy. 700 x 2360, Mcr: 21,770 kW (29,598 hp) at 108 rpm

THRUSTERS

Thrusters: 1 Tunnel thruster (f) 1,200kW(1,632bhp)

TRADING AREAS LAST 12 MONTHS

Far East South East Asia

PHOTOGRAPHS



Play Slideshow



Page 3 of 3