ETERNAL LIGHT

In Service/Commission

< Prev

1 of 2

₽ Panama

Next > Ro-Ro Cargo

IMO 9314595

MMSI 352587000

Callsign H8NF

Ship



□ Watch

Owner & Registration (i)

Group Owner	Unknown	Address		Company No.	9991001
		Location			
Shipmanager	SJ Agency & Ship	Address	Singapore	Company No.	5967779
	Management i	Location			
Operator	SJ Agency & Ship	Address	Singapore	Company No.	5967779
	Management (i)	Location			
DOC Company	SJ Agency & Ship	Address	Singapore	IMO Company No	5967779
	Management (i)	Location		(DOC)	
Registered	Eternaal Light	Address	Marshall	IMO Registered	6446129
Owner	Shipping Ltd (i)	Location	Islands	Owner No	
Technical	SJ Agency & Ship	Address	Singapore	Company No.	5967779
Manager	Management 3	Location			
Bareboat		Address		Company No.	
Owner		Location			

Safety & Certification

Significant Event	Last 12 months	Between 1 and 2 years ago	2-3 years ago
Casualties	0	0	0
Class status changes	2	0	0
Detentions	2	1	0
DOC certificates	2	0	0

Flag changes	0	0	0
Group Owner changes	0	0	0
Inspections	2	6	2
Name changes	1	0	0

Panama Maritime Documentation (2023-07-00)

Class History

Date	Class	Status
2023-09-00	Overseas Marine Certification (Non-IACS)	(Disclassed)
2019-07-00	Overseas Marine Certification (Non-IACS)	In Class
2019-04-00	Nippon Kaiji Kyokai (IACS)	(Disclassed)
2004-09-00	Nippon Kaiji Kyokai (IACS)	In Class
2003-10-00	Nippon Kaiji Kyokai (IACS)	(Contemplated)

Construction -

ShipType Ro-Ro Cargo Ship

 Built
 2004

 GT
 9,668

 Deadweight
 8,898

Structure	Sequence (Bow to Stern)	Position	Туре	Material	Length	Breadth
Hatch	01	Centre Or Only	Normal Hatch	N/A	18.00	20.80
Hatch	02	Centre Or Only	Normal Hatch	N/A	18.00	20.80
Hatch	03	Centre Or Only	Normal Hatch	N/A	18.00	20.80
Hatch	04	Centre Or Only	Engine Room	N/A		

Ship Type Group:Ro-ro cargo 500-999 LM; Statcode5:A35A2RR; Hull Type:Double Bottom Entire Compartment Length; Hull Material:Steel; Hull Connections:Welded;

2004-08 Hangzhou Dongfeng Shipbuilding Co Ltd - Hangzhou ZJ Yard/hull No.: 678

Dimensions & Tonnages

Length Overall	105.500
Length (BP)	101.000
Length (Reg)	101.880
Bulbous Bow	No
Breadth Extreme	0.000
Breadth Moulded	26.000
Draught	5.474
Depth	9.350
Keel To Mast Height	0.000
Displacement	0
T/CM	0.0

Tonnage Type One tonnage, unspecified

Tonnage System New System (International 1969)

Effective Date 2004-00
Gross Tonnage (GT) 9,668
Net Tonnage (NT) 3,097
Deadweight (DWT) 8,898
Compensated Gross Tonnage 0

(CGT)

Formula Deadweight 10,840

Light Displacement Tonnage

(LDT)

Cargo & Capacities

Grain 0 Bale 0 Liquid 0 Gas 0 TEU 14t 0 Insulated 0 Passenge 0

Bollard 0

Pull (t)

3 Centre Or Only Normal Hatch 18.00m long by 20.80m breadth, 1 Centre Or Only Engine Room

Machinery

2 oil engines geared to screw shafts driving 2 FP propellers Total Power: Mcr 3,236kW (4,400hp)Max. Speed: 13.10kts, Service Speed: 10.50kts

2 x 200kW a.c.

Fuel: distillate fuel: 0 cu m, residual fuel: 0 cu m

Design: Niigata (Group: Niigata), Engine Builder: Niigata Engineering Co Ltd - Japan 2 x 6M34BT, 4 Stroke, Single

Acting, In-Line (Vertical) 6 Cy. 340 x 620, Mcr: 1,618 kW (2,200 hp) at 310 rpm

Photographs



© 2024 S&P Global. S&P Global assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has a contract with S&P Global and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.